



4X4 ACCESSORIES



DATE:

June 2015

DESCRIPTION:

Deluxe Bars

APPLICATION:

Toyota 70 Series 2007 On

PART NO. & BARCODE :

Refer table page 2

PRODUCT GROUP: Refer

table page 2

FITTING:

1 ½ hours

AVAILABILITY DATE: In

Stock



PRODUCT SPECIFICATION

DESIGN & DEVELOPMENT:

The growing popularity of the ARB Intensity Driving light and the recent introduction of ARB's new fog light and fog light surround gave ARB's engineers an opportunity to give a facelift to the popular 70 Series range of bars.

New driving light mounts have been introduced across the range to allow fitment of the ARB Intensity light and includes pinning holes. The mount has a larger footprint to allow the entire ARB Intensity mount bracket to be supported.

Additional chassis packers have also been included to allow for variances in the chassis ends. These allow for greater clamping force, useful for vehicles used in extreme off road conditions.

PROTECTION & STYLING CHARACTERISTICS:

- Durable steel construction for maximum protection.
- Incorporates ARB's renowned multi fold upswept and tapered wing design for optimum strength and approach angle.
- Split pan design for maximum strength and airflow.
- Cover straps attached to the uprights ensure there are no exposed edges.
- Continuous uprights through the bumper section of the bar strengthen the outer frame.
- Air bag compatible mounting system secures to chassis via high tensile bolts.
- Packers included to allow for variances in vehicle chassis ends.
- Winch and non winch variants available.
- Will accommodate Warn, Magnum, Bushranger and Smittybilt low mount electric winches.
- Twin Hi-Lift jacking points located in the pan of the bar.
- Larger driving light tabs include provision to accommodate ARB Intensity LED's and a range of IPF driving lights.
- Provision for optional ARB Fog Light part no 3500590 (refer table).
- Two aerial brackets located on the top frame of the bar.
- Finished in a hard-wearing satin black powder coat
- Provision for fittment of optional radiator stone guard part no 3512040.
- Retains original equipment tow point.

PART NUMBER DESCRIPTIONS AND DETAILS:

Part Number	Description	Product Group	Barcode	Replaces
3212420	B/BAR LC70 SER 07ON SRS NO FLR NO FOG	010 – Bull Bars	9332018034823	3212400
3212430	B/BAR LC70 SER 07ON SRS W/FLR AF20	010 – Bull Bars	9332018034830	3212410
3412470	W/BAR LC70 76/78/79 07ON SRS W/FLR AF20 9/9.5/Z8/10	010 – Bull Bars	9332018037312	3412410
3412480	W/BAR LC70 78/79/76 SER 07ON SRS NO FLR 9/9.5/Z8/10	010 – Bull Bars	9332018034847	3412400
3412450	C/COMBAR 70 07ON SRS NO FLR 8HM/M12	015 – Commercial Bull Bars	9332018034878	3412430
3412490	C/COMBAR 70 07ON SRS W/FLR NO FOG 8HM/M12	015 – Commercial Bull Bars	9332018034885	3412440

FOG LIGHTS (WHERE APPLICABLE):

Deluxe bars for the 70 Series (part # 3212430 and 3412470) have provision for fitment of fog lights into the ARB Fog Light Surround. The surround is supplied standard with a screw in cover if no fog light is to be fitted.

Either the OE fog light, as fitted to GXL 70 Series, or ARB's recently released 51W Fog Light (part # 3500590) are able to be fitted.

Wiring required will depend on the vehicle:

VEHICLE	FOG LIGHT	LOOM	WIRING ADAPTOR
GXL with OE fog lights	OE	OE	*3500640
Vehicle with no OE fog Light	3500590	3500530	

* May be required if OE loom length is insufficient.

The fog light surround is supplied in a natural black finish.


TURN SIGNALS:

ARB's LED Clearance light / turn signal are fitted in a press form aperture in each wing on bars 3212430 and 3412470.

A traditional indicator only ARIC light is fitted to a press form aperture in each wing on all other bars.

AERIAL MOUNTS:


Two aerial mounts are welded to the centre 47.6mm cross tube to allow fitment of UHF/AM radio and mobile aerials/antennas.



DRIVING LIGHT MOUNTS:

The lower cross tube has larger welded on driving light mounts for fitment of a range of compatible driving lights including ARB Intensity and IPF 808, 800 and 900 Series lights.

Note: Pinning holes for ARB Intensity lights included



WINCH MODEL FITMENT:

The following winches fit the ARB Deluxe bar for the 70 Series:

- Warn M8000, XD9000, XP9.5 and XDC 9.5
- Warn ZEON 8, 8-S, 10, 10-S and 12.
- Warn ZEON Platinum 10, 10-S and 12
- Warn Magnum 8000, 10000 and 12000
- Smittybilt Gen2 X20 10K
- Bushranger DV-9TH, DS-9TH, Seal 9.5TH and DV-12TH.

Additional fit kits may be required depending on the winch being fitted:

- Warn ZEON or ZEON Platinum fitment requires W89965 ZEON CTRL RELOCATE KIT|SHORT WIRING KIT NO BRKT.
- Warn ZEON Platinum may require W94288 ENHANCED SIGNAL KIT|SUITS PLATINUM ALL.
- Warn ZEON or ZEON Platinum require either:
 - 3500610 ZEON WIRE ROPE F/KIT
 - 3500620 ZEON SYNTHETIC ROPE F/KIT
- Smittybilt Gen2 X20 requires 3500770 BRKT SOL PACK S/BILT GEN@ X20|SUIT 98510
- Winches with synthetic rope (excluding ZEON as per above) require 3500600 HAWSE FAIRLEAD SPACER KIT.

