

## WRANGLER TJ/ WRANGLER UNLIMITED

### ARB DELUXE BULL BARS & WINCH BARS

YEAR	MODEL	FEATURES	WINCHES	PART NO.
1997-06	WINCH BAR	AIRBAG APPROVED, RECESSED INDICATORS, TOW POINTS, BLACK	9.5TI/SI, HS9500I, XD9000, XD9000I, M8000, XP9500	3450070

### IPF LIGHTING & ACCESSORIES

YEAR	RECOMMENDED LIGHTING
1997-06	800XSD, 900XSD, 900XSS, 900HIDD, 900HIDS, 868CS, 968CSG
1997-06	920HJKTJ - H4 HEADLIGHT CONVERSION KIT WITHOUT BULBS <sup>1</sup>

<sup>1</sup> IPF M002 HEADLIGHT UPGRADE HARNESS RECOMMENDED WHEN INSTALLING HIGH PERFORMANCE H4 BULBS

### ARB ROCK SLIDERS/SIDE RAILS/STEPS

YEAR	DESCRIPTION	PART NO.
1997-06	ROCK SLIDERS FOR SWB TJ, BLACK <sup>1</sup>	4450010

<sup>1</sup> FITS SHORT WHEEL BASE MODEL ONLY

### ARB REAR BUMPER & TIRE CARRIER SYSTEM

YEAR	DESCRIPTION	PART NO.
1997-06	DELUXE REAR BAR ASSEMBLY, HITCH, D-SHACKLE PROVISIONS, BLACK	5650010 <sup>1,2</sup>
	SWING-OUT WHEEL CARRIER, BLACK	5750012 <sup>1,2</sup>
	OPTIONAL IPF REVERSE LIGHT	8161
	OPTIONAL HI-LIFT JACK BRACKET, BLACK	5750030
	OPTIONAL WHEEL LOCK NUT SET	5750040

<sup>1</sup> REAR BAR AND WHEEL CARRIER MUST BE PURCHASED TOGETHER FOR PROPER INSTALLATION

<sup>2</sup> REAR BAR HAS BUILT IN TOW HITCH, BUT DOES NOT COME WITH BALL AND MOUNT FOR TOWING. USES STANDARD 2" RECEIVER & BALL AVAILABLE AT MOST AUTO PARTS STORES.

### ARB REAR BUMPER & TIRE CARRIER MODULAR SYSTEM

YEAR	DESCRIPTION	PART NO.
1997-06	DELUXE REAR BAR ASSEMBLY, D-SHACKLE PROVISIONS, HI-LIFT JACK POINTS, BLACK	5650300 <sup>1,2</sup>
	OPTIONAL SWING-OUT TIRE CARRIER, BLACK (FITS UP TO A 37" TIRE)	5750300 <sup>3,4</sup>
	OPTIONAL IPF BACK-UP LIGHT KIT	8161

<sup>1</sup> WILL NOT FIT TO VEHICLES WITH CORNER BODY PROTECTION ARMOR

<sup>2</sup> DUE TO VARIATIONS IN CHASSIS, MODIFICATION MAY BE REQUIRED TO MOUNTING BRACKETS

<sup>3</sup> WILL NOT WORK ON VEHICLES WITH BODY LIFTS. SWING-OUT TIRE CARRIER ATTACHES TO TAIL GATE.

<sup>4</sup> WILL NOT WORK WITH VENTED TAILGATES.

### SAFARI SNORKEL

YEAR	RECOMMENDED SNORKEL	PART NO.
09/99-06	4.0L, PETROL, RIGHT SIDE MOUNT <sup>1</sup>	SS1055HF <sup>1,2</sup>
TO 8/99	4.0L, PETROL, RIGHT SIDE MOUNT <sup>1</sup>	SS1050HF <sup>1,2</sup>

<sup>1</sup> SNORKEL WILL INTERFERE WITH REMOVAL OF DOORS.

<sup>2</sup> 4CYL MODELS MAY NEED MODIFICATION



## WRANGLER TJ/WRANGLER TJ UNLIMITED

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
97-06 SWB	COMPLETE KITS	STOCK/LIGHT LOAD (0-90LBS)	KIT	2"	1	OMETJLKS <sup>1,8,10</sup>
		HEAVY LOAD (90-180LBS)	KIT	2"	1	OMETJHKS <sup>1,8,10</sup>
		STOCK/LIGHT LOAD (0-90LBS)	KIT	2"	1	OMETJLK <sup>1,9,10</sup>
		HEAVY LOAD (90-180LBS)	KIT	2"	1	OMETJHK <sup>1,9,10</sup>
1997-06	FRONT (6 CYL.)	STOCK/LIGHT LOAD (0-90LBS)	SPRING	2.0"	1	2932 <sup>10</sup>
		NITROCHARGER SPORT	SHOCK		2	60046
		NITROCHARGER	SHOCK		2	*N66/N66C
1997-06	FRONT (6 CYL.)	HEAVY LOAD (90-180LBS)	SPRING	2.0"	1	2933 <sup>10</sup>
		NITROCHARGER SPORT	SHOCK		2	60047
		NITROCHARGER	SHOCK		2	N66
1997-06	REAR	LIGHT LOAD/SOFT TOP	SPRING	2.5"	1	2941 <sup>3,10</sup>
		NITROCHARGER SPORT	SHOCK		2	60048
		NITROCHARGER	SHOCK		2	N67
1997-06	REAR	MEDIUM LOAD/HARD TOP	SPRING	2.0"	1	2941 <sup>3,10</sup>
		NITROCHARGER SPORT	SHOCK		2	60048
		NITROCHARGER	SHOCK		2	N67
1997-06	REAR	HEAVY CONSTANT LOAD (220 TO GVW)	SPRING	2.0"	1	2942 <sup>3,10</sup>
		NITROCHARGER SPORT	SHOCK		2	60048
		NITROCHARGER	SHOCK		2	N67
1997-06 UNLIMITED MODELS	REAR	HEAVY CONSTANT LOAD (220 TO GVW)	SPRING	2.0"	1	2949 <sup>3,10</sup>
		NITROCHARGER SPORT	SHOCK		2	60049
		NITROCHARGER	SHOCK		2	N67
1997-06	REQUIRED FOR INSTALLATION	T-CASE SPACER KIT (1997-02)			1	JWGK01 <sup>1,6</sup>
		T-CASE SPACER KIT (2003 ON W/ MANUAL TRANSMISSION)			1	JWGK02 <sup>1,6</sup>
		T-CASE SPACER KIT (2003 ON W/ AUTOMATIC TRANSMISSION)			1	JWGK03 <sup>1,6</sup>
		PANHARD ROD BRACKET			1	FKWTJ02 <sup>2,6</sup>
		BUMP STOP SPACER KIT			1	FK16 <sup>3,6</sup>
		STEERING DAMPER			1	OMESD40 <sup>11</sup>
		STEERING DAMPER			1	OMESD48 <sup>11</sup>
OPTIONAL		FRONT 10MM TRIM SPACER				OMEJGF10
		REAR 10MM TRIM SPACER				OMEWTJPR10
ALSO AVAILABLE		FRONT EXTENDED LENGTH NITROCHARGER SPORT SHOCKS			2	60047L <sup>5</sup>
		REAR EXTENDED LENGTH NITROCHARGER SPORT SHOCKS			2	60049L <sup>5</sup>
		4" FRONT COIL SPRING			1	2939 <sup>7,10</sup>
		4" REAR COIL SPRING			1	2946 <sup>7,10</sup>
		JEEP UNLIMITED REAR COIL SPRING (CONSTANT 400LBS)			1	2996 <sup>10</sup>

<sup>1</sup> APPROPRIATE T-CASE SPACER KIT IS MANDATORY TO PREVENT DRIVELINE VIBRATION.

<sup>2</sup> FKWTJ02 PANHARD ROD BRACKET IS MANDATORY TO ENSURE CORRECT REAR AXLE TRACKING.

<sup>3</sup> FK16 SPACER KIT IS MANDATORY TO PREVENT COIL SPRINGS FROM BECOMING SOLID ON FULL COMPRESSION.

<sup>4</sup> DUE TO A VARIANCE IN CURB WEIGHT, 4 CYLINDER MODELS MAY NET SLIGHTLY MORE LIFT THAN 6 CYLINDER MODELS.

<sup>5</sup> 60047L/60049L EXTENDED LENGTH SHOCKS ARE FOR 3.5-5" SUSPENSION LIFTS ONLY AND ARE NOT INTENDED FOR USE WITH ANY OLD MAN EMU SYSTEMS. MODIFIED BUMP STOPS ARE REQUIRED.

<sup>6</sup> IMPORTANT: FK16, FKWTJ02 & JWGK01 ARE ALL MANDATORY FOR PROPER INSTALLATION. FAILURE TO INSTALL ANY OF THESE KITS WILL VOID OME WARRANTY.

<sup>7</sup> 4" COILS MATCH L SERIES SHOCKS, BUT DO NOT CONSTITUTE A COMPLETE SYSTEM

<sup>8</sup> KIT CONTAINS OLD MAN EMU NITROCHARGER SPORT SHOCKS

<sup>9</sup> KIT CONTAINS STANDARD OLD MAN EMU SHOCKS

<sup>10</sup> DUE TO A VARIANCE IN CURB WEIGHT, RUBICON MODELS MAY NOT GAIN THE FULL ADVERTISED LIFT HEIGHT

<sup>11</sup> FOR STANDARD APPLICATIONS, USE OMESD40. FOR APPLICATIONS NEEDING FIRMER VALVING, USE OMESD48

## WRANGLER TJ/WRANGLER TJ UNLIMITED

### ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
1997-06	FRONT	DANA 30	29.5 (1.16")	27	3.73 & UP	RD100
				27	3.54 & DN	RD101
			33.3 (1.31")	30	3.73 & UP	RD104
		DANA 44, TJ RUBICON MODEL ONLY				
1997-06 REAR		DANA 35, C-CLIP, XJ, YJ, ZJ, TJ, WJ	29.5 (1.16")	27	2.73-3.31	RD103
					3.54 & UP	RD102 <sup>4</sup>
				30	3.54 & UP	RD105
		DANA 44 <sup>3</sup>	33.3 (1.31")	30	3.92 & UP1	RD116
				30	3.73 & DN	RD117 <sup>2</sup>
				33	3.92 & UP	RD113
				35	3.92 & UP	RD109
DANA 44, TJ RUBICON MODEL ONLY					SEE BELOW <sup>3</sup>	

- <sup>1</sup> SOME DANA 44 WITH 4.10 RATIO USE THICK RING GEAR AND MUST USE RD117.
- <sup>2</sup> NEWER OME DANA 35 & DANA 44 RING GEARS HAVE 7/16" BOLTS. FLANGE HOLES OF THE AIR LOCKER MUST BE REAMED LARGER TO SUIT.
- <sup>3</sup> MOST DANA 44 RUBICON'S USE RD117 WITH ORIGINAL GEARS. WHEN USING AFTERMARKET OR NON-STOCK GEARS, CONTACT ARB FOR WHICH LOCKER TO USE
- <sup>4</sup> SOME DANA 35'S 4.10 GEAR SETS, MAY REQUIRE A HIGH SPEED CARRIER AIR LOCKER. (RD103)

### ARB AIR LOCKER DIFFERENTIAL COVERS

YEAR	DESCRIPTION	PART NO.
DANA 44	<a href="http://ARBUSA.COM/NEW_PRODUCTS/DIFFERENTIAL_COVER.PDF">HTTP://ARBUSA.COM/NEW_PRODUCTS/DIFFERENTIAL_COVER.PDF</a>	0750003 <sup>2</sup>
DANA 30	<a href="http://ARBUSA.COM/NEW_PRODUCTS/DIFFERENTIAL_COVER.PDF">HTTP://ARBUSA.COM/NEW_PRODUCTS/DIFFERENTIAL_COVER.PDF</a>	0750002 <sup>1</sup>
DANA 35	<a href="http://ARBUSA.COM/NEW_PRODUCTS/DIFFERENTIAL_COVER.PDF">HTTP://ARBUSA.COM/NEW_PRODUCTS/DIFFERENTIAL_COVER.PDF</a>	0750004*

- <sup>1</sup> WILL NOT WORK WITH STOCK HEIGHT VEHICLES
- <sup>2</sup> NOT COMPATIBLE WITH OE RUBICON LOCKER.
- \* INTERNAL DIFF COVER MODIFICATIONS MAY BE NECESSARY WITH SOME R&P RATIOS IF CONTACT WITH COVER OCCURS

### THULE ROOF RACK SYSTEM TO SUIT ARB ROOFTOP TENT

YEAR	DESCRIPTION	PART NO.
1997-06	THULE ROOF RACK SYSTEM TO SUIT ARB ROOFTOP TENT (UNLIMITED MODELS ONLY)	TA50060 <sup>1,2</sup>

- <sup>1</sup> REQUIRES DRILLING THE INTO THE HARDTOP. PROFESSIONAL INSTALLATION RECOMMENDED
- <sup>2</sup> TRACKS WILL NEED TO BE CUT TO 54" LENGTH