

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
TO 10/04	WINCH BAR	WINCH BAR TO SUITE MODELS WITH FLARES.	12000LB, 9500 & 9000LB	3417100 ¹
10/04 ON	WINCH BAR	WINCH BAR TO SUIT MODELS WITH FLARES. OPTIONAL FOG ³ LAMPS AVAILABLE	12000LB, 9500LB & 9000LB	3417300 ¹
10/04 ON	WINCH BAR	WINCH BAR TO SUIT MODELS WITHOUT FLARES. OPTIONAL FOG ⁴ LAMPS AVAILABLE	12000LB, 9000LB & 9500LB	3417310 ²

¹ SUITES MODELS WITH FLARES

² SUITES WITHOUT FLARES

³ OPTIONAL FOG LIGHT KIT PART No. 9249FCK AVAILABLE. INCLUDES WIRE LOOM

⁴ OPTIONAL ARB FOG LAMP KIT PART No. 6821201. (MD02) LOOM (180209) SWITCH & (180215) CAP REQUIRED WHEN FITTING 6821201 TO MODELS WITHOUT OE FOG LAMPS

IPF LIGHTING & ACCESSORIES		
YEAR	MODEL	RECOMMENDED LIGHTING
ALL	ALL	800XSD, 900HID, 900XSS, 900XSD

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
ALL	ALL MODELS EXCEPT 3.0/4.2 TURBO DIESEL INTERCOOLED	SS15HF
ALL	3.0/4.2 TURBO DIESEL INTERCOOLED MODELS	SS16HF

REFER TO WWW.SAFARI4X4.COM.AU FOR DETAILS.

OLD MAN EMU SUSPENSION SYSTEMS							
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
GU Y61 WITH LWB	FRONT	PETROL 4.5 & DIESEL 4.2 ENGINES TO 110LBS	SPRING	2"	1	2970	
		NITROCHARGER SPORT	SHOCK		2	60012	
		NITROCHARGER	SHOCK		2	*N19/N19C	
		REQ'D FOR INSTALLATION	STEERING DAMPER			1	OMESD11 ⁵
			STEERING DAMPER			1	OMESD01 ⁵
			CASTER KIT			1	OMECA77B ²
			TRIM PACKER				OMEGQPF05 ¹
		TRIM PACKER				OMEGQPF10 ¹	
		FRONT	LOAD 110 - 240LBS	SPRING	2"	1	2971
			NITROCHARGER SPORT	SHOCK		2	60013
			NITROCHARGER	SHOCK		2	N19
	REQ'D FOR INSTALLATION	STEERING DAMPER			1	OMESD11 ⁵	
		STEERING DAMPER			1	OMESD01 ⁵	
		CASTER KIT			1	OMECA77B ²	
		TRIM PACKER				OMEGQPF05 ¹	
		TRIM PACKER				OMEGQPF10 ¹	
	FRONT	LOW HEIGHT TO 110LBS	SPRING	.75"	1	2972	
		NITROCHARGER SPORT	SHOCK		2	60012	
		NITROCHARGER	SHOCK		2	*N19/N19C	
		REQ'D FOR INSTALLATION	STEERING DAMPER			1	OMESD11 ⁵
			STEERING DAMPER			1	OMESD01 ⁵
TRIM PACKER						OMEGQPF05 ¹	
TRIM PACKER						OMEGQPF10 ¹	
FRONT		DIESEL 2.8 & 3L,4C TURBO TO 110LBS	SPRING	2"	1	2973	

* CONTINUED ON NEXT PAGE

PATROL GU Y61

OLD MAN EMU SUSPENSION SYSTEMS							
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
GU Y61 WITH LWB	FRONT	NITROCHARGER SPORT	SHOCK		2	60012	
		NITROCHARGER	SHOCK		2	*N19/N19C	
	REQ'D FOR INSTALLATION	STEERING DAMPER				1	OMESD11 ⁵
		STEERING DAMPER				1	OMESD01 ⁵
		CASTER KIT				1	OMECA77B ²
		TRIM PACKER					OMEGQPF05 ¹
		TRIM PACKER					OMEGQPF10 ¹
	FRONT	LOAD 110 - 240LBS	SPRING	2"		1	2970
		NITROCHARGER SPORT	SHOCK			2	60012
		NITROCHARGER	SHOCK			2	N19
	REQ'D FOR INSTALLATION	STEERING DAMPER				1	OMESD11 ⁵
		STEERING DAMPER				1	OMESD01 ⁵
		CASTER KIT				1	OMECA77B ²
		TRIM PACKER					OMEGQPF05 ¹
		TRIM PACKER					OMEGQPF10 ¹
	FRONT	LOW HEIGHT TO 110LBS	SPRING	.75"		1	2974
		NITROCHARGER SPORT	SHOCK			2	60012
		NITROCHARGER	SHOCK			2	*N19/N19C
	REQ'D FOR INSTALLATION	STEERING DAMPER				1	OMESD11 ⁵
		STEERING DAMPER				1	OMESD01 ⁵
TRIM PACKER						OMEGQPF05 ¹	
TRIM PACKER						OMEGQPF10 ¹	
ALL	REAR	MEDIUM LOAD TO GVW	SPRING	2"	1	2980 ⁴	
		NITROCHARGER SPORT	SHOCK		2	60014	
		NITROCHARGER	SHOCK		2	*N29/N29C	
	REQ'D FOR INSTALLATION	SWAY BAR EXTENSION					FK18 ³
		TRIM PACKER					OMEGQPF05 ¹
		TRIM PACKER					OMEGQPF10 ¹
	REAR	CONSTANT LOAD 440LBS TO GVW	SPRING	2"		1	2981 ⁴
		NITROCHARGER SPORT	SHOCK			2	60015
		NITROCHARGER	SHOCK		2	*N29/N29C	
	REQ'D FOR INSTALLATION	SWAY BAR EXTENSION					FK18 ³
		TRIM PACKER					OMEGQPF05 ¹
		TRIM PACKER					OMEGQPF10 ¹
	REAR	LOW HEIGHT MED LOAD TO GVW	SPRING	1"		1	2982 ⁴
		NITROCHARGER SPORT	SHOCK			2	60014
		NITROCHARGER	SHOCK		2	*N29/N29C	
	REQ'D FOR INSTALLATION	SWAY BAR EXTENSION					FK18 ³
		TRIM PACKER					OMEGQPF05 ¹
		TRIM PACKER					OMEGQPF10 ¹

- ¹ COIL TRIM PACKERS MAY BE REQUIRED TO TRIM VEHICLES. PACKERS MUST BE INSTALLED TO THE TOP ON REAR COILS, BOTTOM ON THE FRONT COILS.
- ² OMECA77B CASTER KIT WILL INCREASE CASTER ANGLE BY 2". CHECK MANUFACTURER'S SPECIFICATIONS TO DETERMINE IF OMECA77B KIT IS REQUIRED.
- ³ FK18: REAR SWAY BAR EXTENSION BRACKET IS MANDATORY FITMENT TO PREVENT DAMAGE TO SWAY BAR WHEN SUSPENSION IS AT FULL EXTENSION.
- ⁴ SPECIAL NOTE: DUE TO LIMITED CLEARANCE BETWEEN TAIL SHAFT AND CHASSIS CROSS MEMBER. OME DOES NOT RECOMMEND FITMENT OF GEAR BOX PACKERS.
- ⁵ OMESD11 STEERING DAMPER FITS ALL MODELS UP TO 1/2000. OMESD01 FITS 2/2000 MODELS ON.

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
GU Y61 CAB CHASSIS COIL FRONT, LEAF REAR	FRONT	ALL 4.2 DIESEL, LOAD TO 110LBS	SPRING	2"	1	2970
		NITROCHARGER SPORT	SHOCK		2	60012
		NITROCHARGER	SHOCK		2	*N19/N19C
		REQ'D FOR INSTALLATION	STEERING DAMPER			1
		CASTER KIT			1	OMECA77B ²
		TRIM PACKER				OMEGQPF05 ¹
		TRIM PACKER				OMEGQPF10 ¹
	FRONT	LOAD 110 - 240LBS	SPRING	2'	1	2971
		NITROCHARGER SPORT	SHOCK		2	60013
		NITROCHARGER	SHOCK		2	N19
		REQ'D FOR INSTALLATION	STEERING DAMPER			1
		TRIM PACKER				OMEGQPF05 ¹
		TRIM PACKER				OMEGQPF10 ¹
	ALL MODELS	REAR	MEDIUM LOAD TO GVW	SPRING	2"	2
			SHOCK		2	N25 ⁴
REQ'D FOR INSTALLATION		BUSH KIT			2	OMESB64
		ANTI INVERSION			1	FK08 ³
		GREASABLE SHACKLES			1	OMEGS1
		GREASABLE SHACKLES			1	OMEGP2
REAR		CONSTANT LOAD 440LBS TO GVW	SPRING	2"	2	CS016RA/B
			SHOCK		2	N25
REQ'D FOR INSTALLATION		BUSH KIT			2	OMESB64
		ANTI INVERSION		1		FK08 ³
		GREASABLE SHACKLES			1	OMEGS1
		GREASABLE SHACKLES			1	OMEGP2

¹ COIL TRIM PACKERS MAY BE REQUIRED TO TRIM VEHICLES TO A MAXIMUM OF .59" PER COIL. PACKERS MUST BE INSTALLED TO THE BOTTOM ON FRONT COILS. FRONT: PART NO. OMEGQPF10 = .39" & OMEGQPF05 = .20"

² OMECA77B CASTER KIT WILL INCREASE CASTER ANGLE BY 2°. CHECK MANUFACTURER'S SPECIFICATIONS TO DETERMINE IF PART IS REQUIRED.

³ FK08 ANTI INVERSION KIT IS MANDATORY FITMENT IF GREASABLE SHACKLES ARE NOT FITTED. REFER TO OME FITTING MANUAL.

⁴ FOR IMPROVED RIDE QUALITY ON VEHICLES CARRYING A MEDIUM LOAD, REMOVE THE 3RD LEAF.

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
GU Y61, COIL CAB CHASSIS	FRONT	ALL 4.2 DIESEL, LOAD TO 110LBS	SPRING	2"	1	2970
		NITROCHARGER SPORT	SHOCK		2	60012
		NITROCHARGER	SHOCK		2	*N19/N19C
		REQ'D FOR INSTALLATION	STEERING DAMPER			1
		CASTER KIT			1	OMECA77B ²
		TRIM PACKER				OMEGQPF05 ¹
		TRIM PACKER				OMEGQPF10 ¹
	FRONT	HEAVY LOAD 110 - 240LBS	SPRING	2"	1	2971
		NITROCHARGER SPORT	SHOCK		2	60013
		NITROCHARGER	SHOCK		2	N19
		REQ'D FOR INSTALLATION	STEERING DAMPER			1
		CASTER KIT			1	OMECA77B ²
		TRIM PACKER				OMEGQPF05 ¹
		TRIM PACKER				OMEGQPF10 ¹

* CONTINUED ON THE NEXT PAGE

PATROL GU Y61

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
ALL	REAR	TO GVW	SPRING	2"	1	2983	
		NITROCHARGER SPORT	SHOCK		2	60014	
		NITROCHARGER	SHOCK		2	N29	
		REQ'D FOR INSTALLATION	FITTING KIT			1	FK18 ³
		TRIM PACKER					OMEGQPF05 ¹
		TRIM PACKER					OMEGQPF10 ¹
		CONSTANT LOAD 440LBS TO GVW	SPRING	2"	1	2984	
		NITROCHARGER SPORT	SHOCK		2	60015	
		NITROCHARGER	SHOCK		2	N29	
	REQ'D FOR INSTALLATION	FITTING KIT			1	FK18 ³	
	TRIM PACKER					OMEGQPF05 ¹	
	TRIM PACKER					OMEGQPF10 ¹	
	CONSTANT LOAD 880LBS TO GVW	SPRING	2"	1	2985		
	NITROCHARGER SPORT	SHOCK		2	60015		
	NITROCHARGER	SHOCK		2	N29		
	REQ'D FOR INSTALLATION	FITTING KIT			1	FK18 ³	
	TRIM PACKER					OMEGQPF05 ¹	
	TRIM PACKER					OMEGQPF10 ¹	

¹ OMECA77B CASTER KIT WILL INCREASE CASTER ANGLE BY 2°

² COIL TRIM PACKERS MAY BE REQUIRED TO TRIM VEHICLE TO A MAXIMUM OF .59". PACKERS MUST BE INSTALLED TO THE BOTTOM ON FRONT COILS AND TOP OF REAR

³ FK18 REAR SWAY BAR EXTENSION BRACKET IN MANDATORY FITMENT TO PREVENT DAMAGE TO SWAY BAR WHEN SUSPENSION IS AT FULL EXTENSION.

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
1998 ON	FRONT	H233B	32 (1.26")	31	ALL	RD136
	REAR	H233B 'SMALL'	33.3 (1.31")	33	ALL	RD135 ²
		H260 'LARGE'	38.4 (1.51")	37	ALL	RD71 ²

¹ ONLY SUITABLE FOR DIFFERENTIALS WITH 12MM RING GEAR BOLTS.

² REFER TO DEALER OR CHECK SPLINE COUNT TO DETERMINE AXLE TYPE.

ARB ROOF RACKS

YEAR	DESCRIPTION	PART NO.
GU LWB AND SWB	87X49" STEEL RACK WITH MESH FLOOR	3800010M
	87X49" STEEL RACK WITHOUT MESH FLOOR	3800010
	87X49" ALLOY RACK WITH MESH FLOOR	4900010M
	87X49" STEEL TOURING RACK FOR ROOF TOP TENT	3800200
	FITTING KIT FOR 87X49" RACKS (ALLOY & STEEL)	3700050
	73X49" STEEL RACK WITH MESH FLOOR	3800020M
	73X49" STEEL RACK WITHOUT MESH FLOOR	3800020
	FITTING KIT FOR 73X49" RACKS	3700050
	43X49" STEEL RACK WITH MESH FLOOR	3800030M
	40X49" STEEL RACK WITHOUT MESH FLOOR FOR GU/Y61 CAB CHASSIS	3800150
	FITTING KIT FOR 43X49" AND 40X49" RACKS	3700060
	OPTIONAL WIND DEFLECTOR FOR 49" WIDE ROOF RACK	3700310
	HI-LIFT JACK AND SHOVEL HOLDER FOR ARB ROOF RACK	K6202

¹ USE 43" x 49" RACK FOR SWB VEHICLES WITH STEEL ROOF