


**ARB** **AIR**

**LUNGER**

**AIR OPERATED  
LOCKING DIFFERENTIALS**

**PRODUCT RELEASE**



**RD123**

**MAZDA 8", REAR**

No liability is assumed for damages resulting in the use of the information contained herein.  
ARB Air Locker Air Operated Locking Differentials and Air Locker are trademarks of ARB Corporation Limited.  
Other product names used herein are for identification purposes only and may be trademarks of their respective owners.

---

# **ARB 4x4 ACCESSORIES**

## **Corporate Head Office**

**42-44 Garden St  
Kilsyth, Victoria  
AUSTRALIA  
3137**

**Tel: +61 (3) 9761 6622  
Fax: +61 (3) 9761 6807**

**Australian enquiries  
North and South American enquiries  
Other international enquiries**

**sales@arb.com.au  
sales@arb.com.au  
exports@arb.com.au**

---

**www.arb.com.au**

# **ARB RD123**

**MAZDA 8", REAR**

## **Specifications:**

---

- 30 spline axle.
- 30.8mm [1.21"] axle shaft diameter (outside of splines).
- 10 bolt ring gear.
- 121mm [4.8"] dia. ring gear ID.
- 203mm [8.0"] dia. ring gear OD.

## **Model Range:**

---

- Mazda Bravo / Ford Courier with banjo style axle assembly using shimmed carrier bearings.
- Not suitable for older adjuster nut style Mazda 8" banjo.

## **Features:**

---

- New patented 'timed' locking mechanism offers higher strength and ultra fast un-locking **(#1, #3 & #14)**.
- Comprehensive photo illustrated installation and service guides.
- New steel reinforced, elastomer bonded annular seal designed to handle the most extreme climactic temperatures on earth **(#2)**.
- Older adjuster nut style third member may be substituted with the shimmed carrier bearing 8" model.

**RD123**  
**MAZDA 8",REAR**

