

WRANGLER JK (2 DOOR)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
2007-18	DELUXE WINCH BAR	AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3450230 ^{1,2,4}
2007-18	STUBBY BAR	CLEARANCE FOR LARGER TIRES, HI-LIFT JACK POINTS, AUX LIGHT MOUNTS	FITS MOST LOW MOUNT MODELS, NOT POWERPLANT	3450430 ⁴
2007-18	WINCH BUMPER	AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3950200 ^{4,5}
2007-18	WINCH BUMPER	AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3950210 ^{3,5}
2007-18	ROCK BAR	HI-LIFT JACK POINTS, AUX LIGHT MOUNTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3450250 ^{4,6}

¹ IF NOT FITTING FACTORY FOG LAMPS, ORDER PART # 3550030 (FOG LIGHT INSERT COVER) TO COMPLETE INSTALLATION

² IF NOT FITTING WINCH, ORDER PART # 3550150 (TOP PAN COVER) TO COMPLETE INSTALLATION

³ SATIN BLACK POWDER COAT FINISH

⁴ INTEGRIT TEXTURED BLACK POWDER COAT FINISH

⁵ FULL WIDTH, NO PROTECTION HOOP ON TOP OF BUMPER, JUST BUMPER

⁶ NARROWER THAN FULL WIDTH ARB DELUXE WINCH BAR, WIDER THAN ARB STUBBY BAR.

PERFORMANCE LIGHTING & ACCESSORIES	
YEAR	RECOMMENDED LIGHTING
2007-18	ARB INTENSITY LED, 800XSD, 901XSD, 900XSS, 900HIDD, 900HIDS, 930S/R, 868CS, 968CSG

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2007-11	3.8L V6 GAS ENGINE (LEFT HAND DRIVE)	SS1066HF
2012-18	3.6L PENTASTAR V6 (LEFT HAND DRIVE)	SS1070HF

ARB SIDE RAILS/ROCK SLIDERS/STEPS		
YEAR	DESCRIPTION	PART NO.
2007-18	ROCK SLIDERS - SATIN BLACK POWDER COAT FINISH	4450200
2007-18	ROCK SLIDERS - INTEGRIT TEXTURED BLACK POWDER COAT FINISH	4450220

ARB REAR PROTECTION BUMPERS		
YEAR	TYPE	PART NO.
2007-18	REAR BUMPER ASSEMBLY, RECOVERY POINTS, NO OPTIONAL SPARE TIRE CARRIER, BLACK	5650200 ^{1,2,3,6}
	REAR BUMPER ASSEMBLY, OPTIONAL TIRE CARRIER ⁴ , RECOVERY POINTS, TEXTURED BLACK	5650360 ^{3,4,7}
	OPTIONAL SPARE TIRE CARRIER	5750320 ^{4,5,7,8}
	OPTIONAL IPF REVERSE LIGHT	8161

¹ NON SWING OUT, TIRE MOUNTS IN FACTORY POSITION

² ACCOMMODATES UP TO A 35" TIRE

³ UTILIZES FACTORY TOW PACKAGE

⁴ OPTIONAL SPARE TIRE CARRIER PART NO **5750320** WILL ONLY WORK IN COMBINATION WITH BUMPER PART NUMBER **5650360**

⁵ WILL WORK WITH UP TO A 37" TIRE. MODIFICATION TO 3RD BRAKE LIGHT MAY BE REQUIRED TO FIT 37" SPARE TIRE.

⁶ SATIN BLACK POWDER COAT FINISH

⁷ INTEGRIT TEXTURED BLACK POWDER COAT FINISH

⁸ TIRE CARRIER NOT COMPATIBLE WITH BODY LIFTS

OUTBACK SOLUTIONS ROLLER DRAWER SYSTEM		
YEAR	DESCRIPTION	PART NO.
2007-10	ROLLER DRAWER KIT (X2 RD945 ROLLER DRAWERS, SIDE FLOOR KIT & INSTALL KIT)	5031010 ^{1,2}
2007-10	ROLLER DRAWER AND ROLLER DRAWER W/ROLLER FLOOR KIT (RD945, RDRF945, SIDE FLOOR AND INSTALLATION KIT)	5032020 ^{1,2}
2007-10	ROLLER DRAWER WITH ROLLER FLOOR KIT (X2 RDRF945, SIDE FLOOR KIT & INSTALLATION KIT)	5033030 ^{1,2}

¹ SUB WOOFER RELOCATION KIT (**JKBRKT1**) REQUIRED WHEN 2007-09 VEHICLES ARE EQUIPPED WITH FACTORY SUB WOOFERS. INCLUDES BRACKET ONLY, HARNESS EXTENSION MAY BE REQUIRED (NOT OFFERD BY ARB).

² ROLLER DRAWER KIT WILL NOT WORK ON 2010 MODELS WITH FACTORY INSTALLED SUB WOOFERS.



ARB SKID PLATES

YEAR	DESCRIPTION	PART NO.
2007-11	UNDER VEHICLE SKID PLATE SYSTEM - 3.8 LITER PETROL ONLY	5450100 ^{1,2}
2012-18	UNDER VEHICLE SKID PLATE SYSTEM - 3.6 LITER PETROL ONLY	5450110 ^{1,2}

¹WILL NOT WORK WITH FRONT DANA 44 OR DANA 60 HOUSINGS WITHOUT SUSPENSION MODIFICATIONS

²WILL NOT WORK WITH STOCK HEIGHT VEHICLES

ARB AIR LOCKER TRACTION PACKS

YEAR	FRONT AXLE	REAR AXLE	DESCRIPTION	PART NO.
2007-18	DANA 30	DANA 44	KIT CONTAINS RD100, RD117, CKMA12, 171302, ARB605, 217519, 217522	100/117KIT1
2007-18	DANA 44	DANA 44	KIT CONTAINS RD117 (X2), CKMA12, 171302, ARB605, 217519, 217522	117/117KIT2 ¹
2007-18	DANA 44	DANA 60	KIT CONTAINS RD117, RD167, CKMA12, 171302, ARB605, 217519, 217522	117/167KIT3

YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2007-18	FRONT	DANA 30	29.5 (1.16")	27	3.73 & UP	RD100
				27	3.54 & DN	RD101
		DANA 44 - RUBICON ONLY	38.1 (1.50")	35	ALL ^{4,5}	RD157 ^{2,3,4}
2007-18	REAR	DANA 44	33.3 (1.31")	30	ALL ⁵	RD117 ¹
			38.1 (1.50")	35	ALL ⁵	RD147 ^{1,2}
		DANA 44 - RUBICON ONLY	38.1 (1.50")	35	ALL ^{4,5}	RD157 ^{2,3,4}

¹ WILL NOT FIT RUBICON MODELS

² AFTERMARKET AXLE SHAFTS REQUIRED, NOT SUPPLIED BY ARB

³ WILL WORK WITH JK RUBICON DANA 44 HOUSING

⁴ WILL WORK WITH JK RUBICON DANA 44 GEARS ONLY

⁵ ALL JEEP JK DANA 44 RING GEARS ARE THICK AND REQUIRE A 3.73 & DOWN CARRIER. THE RD117, RD147 & RD157 ARE ALL 3.73 & DOWN CARRIERS AND ARE SUITABLE FOR THE JK DANA 44 HOUSING AND RING & PINION GEAR SETS.

ARB AIR LOCKER DIFFERENTIAL COVERS

DIFFERENTIAL	DESCRIPTION	PART NO.
DANA 30	DANA 30 ARB DIFFERENTIAL COVER - RED	0750002 ^{1,2}
DANA 30	DANA 30 ARB DIFFERENTIAL COVER - BLACK	0750002B ^{1,2}
DANA 44	DANA 44 ARB DIFFERENTIAL COVER - RED	0750003 ^{1,2}
DANA 44	DANA 44 ARB DIFFERENTIAL COVER - BLACK	0750003B ^{1,2}

¹ INTERNAL DIFF COVER MODIFICATIONS MAY BE NECESSARY WITH SOME R&P RATIOS IF CONTACT WITH COVER OCCURS

² STEERING LINKAGE CONTACT WILL OCCUR WITH FACTORY HEIGHT SUSPENSION UNDER FULL DROOP. 2"+ SUSPENSION LIFT REQUIRED.

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2007-18	COMPLETE KITS	GAS - LIGHT - HEAVY LOAD WITH BP-51 BYPASS SHOCKS AND CONTROL ARMS	KIT	4"	1	OMEJK4BP51P ^{6,8,9,15}
		GAS - LIGHT LOAD/HEAVY LOAD WITH OME BP-51 INTERNAL BYPASS SHOCKS	KIT	4"	1	OMEJK4BP51 ^{6,8,9,15}
		GAS - LIGHT LOAD/HEAVY LOAD WITH OME CONTROL ARMS	KIT	4"	1	OMEJK4P ^{5,9,15}
		GAS - LIGHT LOAD/HEAVY LOAD	KIT	4"	1	OMEJK4 ^{5,9,15}
		GAS - STOCK/LIGHT LOAD (0-90LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS	KIT	2-2.5"	1	OMEJK2DBP51LK ^{6,11}
		GAS - HEAVY LOAD (90-180LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS	KIT	2-2.5"	1	OMEJK2DBP51HK ^{6,11}
		GAS - STOCK/LIGHT LOAD (0-90LBS)	KIT	2-2.5"	1	OMEJK2DLKS ^{5,11}
		GAS - HEAVY LOAD (90-180LBS)	KIT	2-2.5"	1	OMEJK2DHKS ^{5,11}

-OME SUSPENSION CONTINUED NEXT PAGE-

WRANGLER JK (2 DOOR)

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2007-18	FRONT	GAS - STOCK/LIGHT LOAD (0-90LBS)	SPRING	2"	1	2615
		NITROCHARGER SPORT	SHOCK		2	60066
2007-18	FRONT	GAS - HEAVY LOAD (90-180LBS)	SPRING	2"	1	2616
		NITROCHARGER SPORT	SHOCK		2	60066
2007-18	REAR	GAS - MEDIUM LOAD	SPRING	2.25"	1	2617
		NITROCHARGER SPORT	SHOCK		2	60067
2007-18	REAR	GAS - HEAVY CONSTANT LOAD (300LBS)	SPRING	2.25"	1	2618
		NITROCHARGER SPORT	SHOCK		2	60067
OPTIONAL SHOCK ASBORBERS		DESCRIPTION			QUANTITY	PART NO.
		OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT OMEJK4 KIT			2	BP5160021 ^{12,13}
		OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT 3-4" LIFTS			2	BP5160022 ¹³
		OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUIT 3-4" LIFTS			2	BP5160030 ¹⁴
		OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT 2" LIFTS			2	BP5160031 ¹³
		OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUITE 2" LIFTS			2	BP5160032 ¹⁶
		VEHICLE MOUNT KIT -FRONT- REQUIRED - BP-51 SHOCK FITMENT			1	VM80010014 ¹³
		VEHICLE MOUNT KIT -REAR- REQUIRED - BP-51 SHOCK FITMENT			1	VM80010015 ¹⁴
		VEHICLE MOUNT KIT - REAR - REQUIRED - BP-51 SHOCK FITMENT			1	VM80010024 ¹⁶
		NITROCHARGER SPORT FRONT EXTENDED LENGTH SHOCK			2	60066L ³
		NITROCHARGER SPORT REAR EXTENDED LENGTH SHOCK			2	60067L ³
OPTIONAL COMPONENTS		STEERING DAMPER			1	OMESD48 ⁷
		FRONT LOWER CONTROL ARMS - PAIR			1	LCAJKFR
		FRONT UPPER CONTROL ARMS - PAIR			1	UCAJKFR
		REAR LOWER CONTROL ARMS - PAIR			1	LCAJKRR
		REAR UPPER CONTROL ARMS - PAIR			1	UCAJKRR
		STEERING DAMPER RELOCATION BRACKET			1	FK50 ⁷
		PANHARD ROD EXTENSION BRACKET KIT LHD			1	FK37 ²
		PANHARD ROD EXTENSION BRACKET KIT RHD			1	FK39 ²
		FRONT TRIM SPACER 10MM			1	OMEJKPF10 ¹
		REAR TRIM SPACER 10MM			1	OMEJKPR10 ¹
		BUMP STOP EXTENSIONS			1	FK40 ⁴
		REPLACEMENT FRT DRIVE SHAFT & T-CASE YOKE - MANUAL TRANS			1	3112JK-24FM ^{10,15}

¹ DO NOT FIT MORE THAN ONE TRIM SPACER PER COIL SPRING

² FITMENT OF PANHARD ROD EXTENSION BRACKET IS NOT MANDATORY, BUT FITMENT WILL IMPROVE THE RIDE

³ EXTENDED LENGTH SHOCKS ARE FOR 3-5" SUSPENSION LIFTS ONLY AND ARE NOT INTENDED FOR USES WITH ANY OLD MAN EMU SYSTEMS. MODIFIED BUMP STOPS ARE REQUIRED.

⁴ REQUIRED IF FITTING 35" TIRES

⁵ KIT CONTAINS NITROCHARGER SPORT SHOCKS

⁶ KIT CONTAINS BP-51 INTERNAL BYPASS SHOCKS

⁷ FITMENT OF OMESD48 STEERING DAMPER REQUIRES RELOCATION BRACKET PART NUMBER FK50

⁸ DUE TO VARIATIONS IN VEHICLE WEIGHTS (AFTERMARKET ACCESSORIES), TRIM PACKERS ARE INCLUDED TO ADJUST THE RIDE HEIGHT.

⁹ WHEN FITTING LARGER TIRES, AFTERMARKET WHEELS (RIMS) WITH GREATER OFFSET (LESS BACKSPACING) MAY BE REQUIRED TO CLEAR SWAYBAR LINKS AND CONTROL ARMS.

¹⁰ OPTIONAL J.E. REEL FRONT REPLACEMENT DRIVE SHAFT & T-CASE YOKE. RATED FOR 0-6" OF LIFT. FITS 2-DOOR AND 4-DOOR MODELS.

REQUIRED FOR 2012+ MODELS WHEN FITTING OMEJK4 IF NOT MODIFYING EXHAUST. OPTIONAL WHEN FITTING OMEJK4 TO 2007-11 MODELS

¹¹ KIT DOES NOT INCLUDE OPTIONAL OMESD48 STEERING DAMPER OR DAMPER FIT KIT FK50

¹² OME BP-51 SHOCK PART NO. **BP5160021** IS SPECIFICALLY DESIGNED FOR THE **OMEJK4** SUSPENSION SYSTEM

¹³ VEHICLE MOUNT PART NO. **VM80010014** REQUIRED WHEN FITTING BP-51 **BP5160022**, **BP5160021** AND **BP5160031** SHOCKS.

¹⁴ VEHICLE MOUNT PART NO. **VM80010015** REQUIRED FOR FITMENT WHEN FITTING BP-51 **BP5160030** SHOCKS.

¹⁵ EXHAUST MODIFICATIONS OR AFTERMARKET FRONT DRIVESHAFT REQUIRED WHEN FITTING OMEJK4 TO 2012+ JEEP WRANGLER JKs

¹⁶ VEHICLE MOUNT PART NO. **VM80010024** REQUIRED FOR FITMENT WHEN FITTING BP-51 **BP5160032** SHOCKS.

WRANGLER JK UNLIMITED (4 DOOR)

ARB DELUXE BULL BARS & WINCH BARS

YEAR	MODEL	FEATURES	WINCHES	PART NO.
2007-18	DELUXE WINCH BAR	AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3450230 ^{1,2,4}
2007-18	STUBBY BAR	CLEARANCED FOR LARGER TIRES, HI-LIFT JACK POINTS, AUX LIGHT MOUNTS	FITS MOST LOW MOUNT MODELS, NOT POWERPLANT	3450430 ⁴
2007-18	WINCH BUMPER	AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3950200 ^{4,5}
2007-18	WINCH BUMPER	AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3950210 ^{3,5}
2007-18	ROCK BAR	HI-LIFT JACK POINTS, AUX LIGHT MOUNTS	WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS	3450250 ^{4,6}

¹ IF NOT FITTING FACTORY FOG LAMPS, ORDER PART # 3550030 (FOG LIGHT INSERT COVER) TO COMPLETE INSTALLATION

² IF NOT FITTING WINCH, ORDER PART # 3550150 (TOP PAN COVER) TO COMPLETE INSTALLATION

³ SATIN BLACK POWDER COAT FINISH

⁴ INTEGRIT TEXTURED BLACK POWDER COAT FINISH

⁵ FULL WIDTH, NO PROTECTION HOOP ON TOP OF BUMPER, JUST BUMPER

⁶ NARROWER THAN FULL WIDTH ARB DELUXE WINCH BAR, WIDER THAN ARB STUBBY BAR.

ARB SIDE RAILS/ROCK SLIDERS/STEPS

YEAR	DESCRIPTION	PART NO.
2007-18	ROCK SLIDERS - SATIN BLACK POWDER COAT FINISH	4450210
2007-18	ROCK SLIDERS - INTEGRIT TEXTURED BLACK POWDER COAT FINISH	4450230

ARB REAR PROTECTION BUMPERS

YEAR	TYPE	PART NO.
2007-18	REAR BUMPER ASSEMBLY, RECOVERY POINTS, NO OPTIONAL SPARE TIRE CARRIER, BLACK	5650200 ^{1,2,3,6}
	REAR BUMPER ASSEMBLY, OPTIONAL TIRE CARRIER ⁴ , RECOVERY POINTS, TEXTURED BLACK	5650360 ^{3,4,7}
	OPTIONAL SPARE TIRE CARRIER	5750320 ^{4,5,7,8}

¹ NON SWING OUT, TIRE MOUNTS IN FACTORY POSITION

² ACCOMMODATES UP TO A 35" TIRE

³ UTILIZES FACTORY TOW PACKAGE

⁴ OPTIONAL SPARE TIRE CARRIER PART NO **5750320** WILL ONLY WORK IN COMBINATION WITH BUMPER PART NUMBER **5650360**

⁵ WILL WORK WITH UP TO A 37" TIRE. MODIFICATION TO 3RD BRAKE LIGHT MAY BE REQUIRED TO FIT 37" SPARE TIRE.

⁶ SATIN BLACK POWDER COAT FINISH

COMPRESSOR BRACKET

YEAR/MODEL	DESCRIPTION	PART NO.
2007-18 4-DOOR JK	ARB AIR COMPRESSOR UNDER SEAT BRACKET - ALL ARB COMPRESSORS - PASSENGER SEAT	3550210

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2007-18	COMPLETE KITS	GAS - LIGHT - HEAVY LOAD WITH BP-51 BYPASS SHOCKS AND CONTROL ARMS	KIT	4"	1	OMEJK4BP51P ^{8,9,15,16}
		GAS - LIGHT LOAD/HEAVY LOAD WITH OME BP-51 INTERNAL BYPASS SHOCKS	KIT	4"	1	OMEJK4BP51 ^{8,9,15,16}
		GAS - LIGHT LOAD/HEAVY LOAD WITH OME CONTROL ARMS	KIT	4"	1	OMEJK4P ^{6,8,9,15}
		GAS - LIGHT LOAD/HEAVY LOAD	KIT	4"	1	OMEJK4 ^{6,8,9,15}
		GAS - STOCK/LIGHT LOAD (0-90LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS	KIT	2-2.5"	1	OMEJK4DBP51LK ^{11,16}
		GAS - HEAVY LOAD (90-180LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS	KIT	2-2.5"	1	OMEJK4DBP51HK ^{11,16}
		GAS - STOCK/LIGHT LOAD (0-90LBS)	KIT	2-2.5"	1	OMEJK4DLKS ^{5,11}
		GAS - HEAVY LOAD (90-180LBS)	KIT	2-2.5"	1	OMEJK4DHKS ^{5,11}

-OME SUSPENSION CONTINUED NEXT PAGE-



WRANGLER JK UNLIMITED (4 DOOR)

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2007-18	FRONT	GAS - STOCK/LIGHT LOAD (0-90LBS)	SPRING	2"	1	2616
		NITROCHARGER SPORT	SHOCK		2	60066
2007-18	FRONT	GAS - HEAVY LOAD (90-180LBS)	SPRING	2"	1	2619
		NITROCHARGER SPORT	SHOCK		2	60066
2007-18	REAR	GAS - NO LOAD	SPRING	2.25"	1	2617
		NITROCHARGER SPORT	SHOCK		2	60067
2007-18	REAR	GAS - HEAVY CONSTANT LOAD (300LBS)	SPRING	2.25"	1	2618
		NITROCHARGER SPORT	SHOCK		2	60067
2007-18	REAR	GAS - HEAVY CONSTANT LOAD (660LBS)	SPRING	2.25"	1	2620
		NITROCHARGER SPORT	SHOCK		2	60067
OPTIONAL SHOCK ASBORBERS		DESCRIPTION			QUANTITY	PART NO.
		OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT OMEJK4 KIT			2	BP516002 ^{12,13}
		OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT 3-4" LIFTS			2	BP516002 ¹³
		OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUIT 3-4" LIFTS			2	BP516003 ¹⁴
		OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUITE 2" LIFTS			2	BP516003 ¹³
		OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUITE 2" LIFTS			2	BP516003 ¹⁷
		VEHICLE MOUNT KIT -FRONT- REQUIRED FOR BP-51 SHOCK FITMENT			1	VM800100 ^{14,13}
		VEHICLE MOUNT KIT -REAR- REQUIRED FOR BP-51 SHOCK FITMENT			1	VM800100 ^{15,14}
		VEHICLE MOUNT KIT -REAR- REQUIRED FOR BP-51 SHOCK FITMENT			1	VM800100 ^{24,17}
		NITROCHARGER SPORT FRONT EXTENDED LENGTH SHOCK			2	60066L ³
		NITROCHARGER SPORT REAR EXTENDED LENGTH SHOCK			2	60067L ³
OPTIONAL COMPONENTS		STEERING DAMPER			1	OMESD48 ⁷
		FRONT LOWER CONTROL ARM - PAIR			1	LCAJKFR
		FRONT UPPER CONTROL ARM - PAIR			1	UCAJKFR
		REAR LOWER CONTROL ARM - PAIR			1	LCAJKRR
		REAR UPPER CONTROL ARM - PAIR			1	UCAJKRR
		STEERING DAMPER RELOCATION BRACKET			1	FK50 ⁷
		PANHARD ROD EXTENSION BRACKET KIT LHD			1	FK37 ²
		PANHARD ROD EXTENSION BRACKET KIT RHD			1	FK39 ²
		FRONT TRIM SPACER 10MM			1	OMEJKPF10 ¹
		REAR TRIM SPACER 10MM			1	OMEJKPR10 ¹
		BUMP STOP EXTENSIONS			1	FK40 ⁴
		REPLACEMENT FRT DRIVE SHAFT & T-CASE YOKE - MANUAL TRANS			1	3112JK-24FM ^{10,15}

¹ DO NOT FIT MORE THAN ONE TRIM SPACER PER COIL SPRING

² FITMENT OF PANHARD ROD EXTENSION BRACKET IS NOT MANDATORY, BUT FITMENT WILL IMPROVE THE RIDE

³ EXTENDED LENGTH SHOCKS ARE FOR 3-5" SUSPENSION LIFTS ONLY AND ARE NOT INTENDED FOR USE WITH ANY OLD MAN EMU SYSTEMS. EXTENDED BUMP STOPS ARE REQUIRED.

⁴ REQUIRED IF FITTING 35" TIRES

⁶ KIT CONTAINS OLD MAN EMU NITROCHARGER SPORT SHOCKS

⁷ FITMENT OF OMESD48 STEERING DAMPER REQUIRES RELOCATION BRACKET PART NUMBER FK50

⁸ DUE TO VARIATIONS IN VEHICLE WEIGHTS (AFTERMARKET ACCESSORIES), TRIM PACKERS ARE INCLUDED TO ADJUST THE RIDE HEIGHT

⁹ WHEN FITTING LARGER TIRES, AFTERMARKET WHEELS (RIMS) WITH GREATER OFFSET (LESS BACKSPACING) MAY BE REQUIRED TO CLEAR SWAYBAR LINKS AND CONTROL ARMS.

¹⁰ OPTIONAL J.E. REEL FRONT REPLACEMENT DRIVE SHAFT & T-CASE YOKE. RATED FOR 0-6" OF LIFT. FITS 2-DOOR AND 4-DOOR MODELS.

REQUIRED FOR 2012+ MODELS WHEN FITTING OMEJK4 IF NOT MODIFYING EXHAUST. OPTIONAL WHEN FITTING OMEJK4 TO 2007-11 MODELS

¹¹ KIT DOES NOT INCLUDE OPTIONAL OMESD48 STEERING DAMPER OR DAMPER FIT KIT FK50

¹² OME BP-51 SHOCK PART NO. **BP5160021** IS SPECIFICALLY DESIGNED FOR THE **OMEJK4** SUSPENSION SYSTEM

¹³ VEHICLE MOUNT PART NO. **VM80010014** REQUIRED WHEN FITTING BP-51 **BP5160022**, **BP5160021** AND **BP5160031** SHOCKS

¹⁴ VEHICLE MOUNT PART NO. **VM80010015** REQUIRED WHEN FITTING BP-51 **BP5160030** SHOCKS

¹⁵ EXHAUST MODIFICATIONS OR AFTERMARKET FRONT DRIVESHAFT REQUIRED WHEN FITTING OMEJK4 TO 2012+ JEEP WRANGLER JKs

¹⁶ KIT CONTAINS OME BP-51 INTERNAL BYPASS SHOCKS

¹⁷ VEHICLE MOUNT PART NO. **VM80010024** REQUIRED FOR FITMENT WHEN FITTING BP-51 **BP5160032** SHOCKS



WRANGLER JK UNLIMITED (4 DOOR)

ARB SKID PLATES

YEAR	DESCRIPTION	PART NO.
2007-11	UNDER VEHICLE SKID PLATE SYSTEM - 3.8 LITER PETROL ONLY	5450100 ^{1,2}
2012-18	UNDER VEHICLE SKID PLATE SYSTEM - 3.6 LITER PETROL ONLY	5450110 ^{1,2}

¹WILL NOT WORK WITH FRONT DANA 44 OR DANA 60 HOUSINGS WITHOUT SUSPENSION MODIFICATIONS

²WILL NOT WORK WITH STOCK HEIGHT VEHICLES

ARB AIR LOCKER TRACTION PACKS

YEAR	FRONT AXLE	REAR AXLE	DESCRIPTION	PART NO.
2007-18	DANA 30	DANA 44	KIT CONTAINS RD100, RD117, CKMA12, 171302, ARB605, 217519, 217522	100/117KIT1
2007-18	DANA 44	DANA 44	KIT CONTAINS RD117 (X2), CKMA12, 171302, ARB605, 217519, 217522	117/117KIT2 ¹
2007-18	DANA 44	DANA 60	KIT CONTAINS RD117, RD167, CKMA12, 171302, ARB605, 217519, 217522	117/167KIT3

YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2007-18	FRONT	DANA 30	29.5 (1.16")	27	3.73 & UP	RD100
				27	3.54 & DN	RD101
		DANA 44 - RUBICON ONLY	38.1 (1.50")	35	ALL ^{4,5}	RD157 ^{2,3,4}
2007-18	REAR	DANA 44	33.3 (1.31")	30	ALL ⁵	RD117 ¹
			38.1 (1.50")	35	ALL ⁵	RD147 ^{1,2}
		DANA 44 - RUBICON ONLY	38.1 (1.50")	35	ALL ^{4,5}	RD157 ^{2,3,4}

¹ WILL NOT FIT RUBICON MODELS

² AFTERMARKET AXLE SHAFTS REQUIRED, NOT SUPPLIED BY ARB

³ WILL WORK WITH JK RUBICON DANA 44 HOUSING

⁴ WILL WORK WITH JK RUBICON DANA 44 GEARS ONLY

⁵ ALL JEEP JK DANA 44 RING GEARS ARE THICK AND REQUIRE A 3.73 & DOWN CARRIER. THE RD117, RD147 & RD157 ARE ALL 3.73 & DOWN CARRIERS AND ARE SUITABLE FOR THE JK DANA 44 HOUSING AND RING & PINION GEAR SETS.

ARB AIR LOCKER DIFFERENTIAL COVERS

DIFFERENTIAL	DESCRIPTION	PART NO.
DANA 30	DANA 30 ARB DIFFERENTIAL COVER - RED	0750002 ^{1,2}
DANA 30	DANA 30 ARB DIFFERENTIAL COVER - BLACK	0750002B ^{1,2}
DANA 44	DANA 44 ARB DIFFERENTIAL COVER - RED	0750003 ^{1,2}
DANA 44	DANA 44 ARB DIFFERENTIAL COVER - BLACK	0750003B ^{1,2}

¹ INTERNAL DIFF COVER MODIFICATIONS MAY BE NECESSARY WITH SOME R&P RATIOS IF CONTACT WITH COVER OCCURS

² STEERING LINKAGE CONTACT WILL OCCUR WITH FACTORY HEIGHT SUSPENSION UNDER FULL DROOP. 2" + SUSPENSION LIFT REQUIRED.

OUTBACK SOLUTIONS ROLLER DRAWER SYSTEM

YEAR	DESCRIPTION	PART NO.
2007-10	DOUBLE ROLLER DRAWER KIT (X2 RD745 ROLLER DRAWERS, SIDE FLOOR KIT & INSTALLATION KIT)	5011010 ^{1,2}
2007-14	SINGLE ROLLER DRAWER WITH ROLLER FLOOR (SLIDE OUT TOP) FOR VEHICLES EQUIPPED WITH PLASTIC TRIM AND INTEGRATED SUBWOOFER	5012010 ³
	SINGLE ROLLER DRAWER WITH ROLLER FLOOR (SLIDE OUT TOP) FOR VEHICLES EQUIPPED WITH CARPET TRIM, NO INTEGRATED SUBWOOFER	5012020 ⁴

¹ SUB WOOFER RELOCATION KIT (**JKBRKT1**) REQUIRED WHEN 2007-09 VEHICLES ARE EQUIPPED WITH FACTORY SUB WOOFERS. INCLUDES BRACKET ONLY, HARNESS EXTENSION MAY BE REQUIRED (NOT OFFERED BY ARB).

² ROLLER DRAWER KIT WILL NOT WORK ON 2010 MODELS WITH FACTORY INTEGRATED SUB WOOFERS.

³ DOES NOT FIT VEHICLES WITH CARPET TRIM

⁴ DOES NOT FIT VEHICLE WITH PLASTIC TRIM AND INTEGRATED SUBWOOFER

FOR MORE INFORMATION ON DRAWERS SYSTEMS

[HTTP://WWW.ARBUSA.COM/News/New-Product-Advice.aspx](http://www.arbusa.com/News/New-Product-Advice.aspx)

SAFARI SNORKEL

YEAR	RECOMMENDED SNORKEL	PART NO.
2007-11	3.8L V6 GAS ENGINE (LEFT HAND DRIVE)	SS1066HF
2012-18	3.6L PENTASTAR V6 (LEFT HAND DRIVE)	SS1070HF