

## WRANGLER JL (2 DOOR)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
2018-ON	DELUXE CLASSIC WINCH BUMPER	RETAINS THE FACTORY FOG LAMPS <sup>2</sup> , RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR SPORT AND RUBICON OE FLARES, INTEGRIT BLACK FINISH	WARN LOW MOUNTS WINCHES UP TO 10,000LB	3450440 <sup>1</sup>
2018-ON	CLASSIC STUBBY BUMPER	MAXIMUM TIRE CLEARANCE, RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT BLACK FINISH	WARN LOW MOUNTS WINCHES UP TO 10,000LB	3450450

<sup>1</sup> OPTIONAL WINCH COVER PAN **3550150** AVAILABLE WHEN NOT FITTING WINCH.

<sup>2</sup> FACTORY STEEL BUMPER FOG LIGHTS WILL NOT FIT. PLEASE CONTACT ARB FOR MORE INFORMATION

IPF LIGHTING & ACCESSORIES	
YEAR	RECOMMENDED LIGHTING
2018-ON	ARB INTENSITY LED AR32, AR21 ROUND AND INTENSITY LED LIGHT BAR AR40.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2018-ON	3.6L V6 GAS ENGINE (LEFT HAND DRIVE)	<i>UNDER DEVELOPMENT</i>

ARB SIDE RAILS/ROCK SLIDERS/STEPS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ROCK SLIDERS - INTEGRIT BLACK POWDER COAT FINISH	<i>UNDER DEVELOPMENT</i>

ARB ROOF RACKS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ALLOY FLAT RACK	<i>UNDER DEVELOPMENT</i>
	REQUIRED RACK MOUNT HARDWARE	<i>UNDER DEVELOPMENT</i>

ARB AIR LOCKER LOCKING DIFFERENTIALS						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2018-ON	FRONT	M186		30 SPLINE	ALL	RD100
		RUBICON FRONT		35 SPLINE	ALL	RD246
	REAR	M200		29 SPLINE	ALL	RD244
		M220		32 SPLINE	ALL	RD245
		RUBICON REAR		35 SPLINE	ALL	RD246

DIFFERENTIAL COVERS		
DIFFERENTIAL	DESCRIPTION	PART NO.
M186	SPORT/SAHARA FRONT - RED	0750009
M186	SPORT/SAHARA FRONT - BLACK	0750009B
M200	SPORT REAR - RED	<b>0750010</b>
M200	SPORT REAR - BLACK	<b>0750010B</b>
M210	FRONT - RED	<b>0750011</b>
M210	FRONT - BLACK	<b>0750011B</b>
M220	SAHARA - REAR	<b>0750012</b>

## WRANGLER JL (2 DOOR)

### OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON	COMPLETE KITS	GAS - LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL2DLKS <sup>1</sup>
		GAS - HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL2DHKS <sup>1</sup>
		GAS - LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	<b>TBA</b>
		GAS - HEAVY LOAD (90-195LBS) WITH BP-51	KIT	2.5-3.5"	1	<b>TBA</b>

<sup>1</sup> DUE TO DIFFERENCES IN OE RIDE HEIGHT, THE KITS ABOVE WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

### OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON	FRONT	STOCK/LIGHT LOAD (0-90LBS)	SPRING	2.5-3.5"	1	3133 <sup>1,2</sup>
		NITROCHARGER SPORT	SHOCK		2	60150 <sup>3,4</sup>
	FRONT	MEDIUM LOAD (90-190LBS)	SPRING	2.5-3.5"	1	3134 <sup>1,2</sup>
		NITROCHARGER SPORT SHOCK	SHOCK		2	60150 <sup>3,4</sup>
	REAR	MEDIUM LOAD	SPRING	2.5-2.5"	1	3136 <sup>1,2</sup>
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 <sup>3,4</sup>
	REAR	HEAVY CONSTANT (330LBS)	SPRING	2.5-3.5"	1	3137 <sup>1,2</sup>
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 <sup>3,4</sup>
	<b>REQ'D FOR INSTALLATION</b>	FRONT LOWER ADJUSTABLE CONTROL ARM	CONTROL ARM		1	LCAJLFR <sup>2</sup>
		BUMP STOP KIT (FRONT AND REAR)	BUMP KIT		1	FK92 <sup>3</sup>
		SWA YBAR LINK KIT	LINK KIT		1	FK93 <sup>4</sup>
	OPTIONAL	FRONT COIL SPRING TRIM PACKER	PACKER		1	OMEJKPF10 <sup>5</sup>
		REAR COIL SPRING TRIM PACKER			1	OMEJLPR10 <sup>5</sup>

<sup>1</sup> DUE TO DIFFERENCES IN OE RIDE HEIGHT, OME COIL SPRINGS WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

<sup>2</sup> FITMENT OF LCAJLFR ADJUSTABLE LOWER CONTROL ARMS IS REQUIRED TO RESTORE PROPER CASTER ALIGNMENT SETTINGS.

<sup>3</sup> FITMENT OF FK92 IS REQUIRED. FK92 BUMPER STOP KIT PREVENTS SHOCKS FROM GOING SOLID AND FITMENT OF LARGER TIRES.

<sup>4</sup> FITMENT OF FK93 IS REQUIRED. FK93 SWAY BAR LINK KIT ALLOWS THE SHOCKS TO EXTEND FREELY WITHOUT LIMIT OR CONTACT.

<sup>5</sup> TRIM PACKERS ARE TO TRIM VEHICLE LEFT TO RIGHT. DO NOT INSTALL MORE THAN ONE PACKER PER COIL SPRING.

### ARB SKID PLATES

YEAR	DESCRIPTION	PART NO.
2018 ON	UNDER VEHICLE SKID PLATE SYSTEM - 3.6 LITER PETROL ONLY	<b>UNDER DEVELOPMENT</b>

### LINX - VEHICLE ACCESSORY INTERFACE

YEAR	DESCRIPTION	PART NO.
2018 ON	LINX VEHICLE ACCESSORY INTERFACE	LX100
	LINX A-PILLAR MOUNT FOR JEEP WRANGLER JL	<b>UNDER DEVELOPMENT</b>
OPTIONAL	LINX PRESSURE CONTROL KIT	7450107
	LINX AIR BAG ISOLATION KIT	7450109

LEARN MORE ABOUT ARB LINX - [HTTPS://WWW.ARBUSA.COM/LINX-ACCESSORY-INTERFACE/](https://www.arbusa.com/linx-accessory-interface/)

## WRANGLER JL (4-DOOR)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
2018-ON	DELUXE CLASSIC WINCH BUMPER	RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR SPORT AND RUBICON OE FLARES, INTEGRIT BLACK FINISH	WARN LOW MOUNTS WINCHES UP TO 10,000LB	3450440 <sup>1</sup>
2018-ON	CLASSIC STUBBY BUMPER	MAXIMUM TIRE CLEARANCE, RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT BLACK FINISH	WARN LOW MOUNTS WINCHES UP TO 10,000LB	3450450

<sup>1</sup> OPTIONAL WINCH COVER PAN **3550150** AVAILABLE WHEN NOT FITTING WINCH.

<sup>2</sup> FACTORY STEEL BUMPER FOG LIGHTS WILL NOT FIT. PLEASE CONTACT ARB FOR MORE INFORMATION.

IPF LIGHTING & ACCESSORIES	
YEAR	RECOMMENDED LIGHTING
2018-ON	ARB INTENSITY LED AR32, AR21 ROUND AND INTENSITY LED LIGHT BAR AR40.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2018-ON	3.6L V6 GAS ENGINE (LEFT HAND DRIVE)	<i>UNDER DEVELOPMENT</i>

ARB SIDE RAILS/ROCK SLIDERS/STEPS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ROCK SLIDERS - INTEGRIT BLACK POWDER COAT FINISH	<i>UNDER DEVELOPMENT</i>

ARB REAR PROTECTION BUMPERS		
YEAR	TYPE	PART NO.
2018-ON	REAR BUMPER ASSEMBLY, RECOVERY POINTS, JACK POINTS, NO TIRE CARRIER OPTIONS. INTEGRIT BLACK FINISH	<i>COMING SOON</i>

ARB ROOF RACKS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ALLOY FLAT RACK	<i>UNDER DEVELOPMENT</i>
	REQUIRED RACK MOUNT HARDWARE	<i>UNDER DEVELOPMENT</i>

ARB AIR LOCKER LOCKING DIFFERENTIALS						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2018-ON	FRONT	M186		30 SPLINE	ALL	RD100
		RUBICON FRONT		35 SPLINE	ALL	RD246
	REAR	M200		29 SPLINE	ALL	RD244
		M220		32 SPLINE	ALL	RD245
		RUBICON REAR		35 SPLINE	ALL	RD246

DIFFERENTIAL COVERS		
DIFFERENTIAL	DESCRIPTION	PART NO.
M186	SPORT/SAHARA FRONT - RED	0750009
M186	SPORT/SAHARA FRONT - BLACK	0750009B
M200	SPORT REAR - RED	<b>0750010</b>
M200	SPORT REAR - BLACK	<b>0750010B</b>
M210	FRONT - RED	<b>0750011</b>
M210	FRONT - BLACK	<b>0750011B</b>
M220	SAHARA - REAR	<b>0750012</b>

## WRANGLER JL (4 DOOR)

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON	COMPLETE KITS	GAS - LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL4DLKS <sup>1</sup>
		GAS - HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL4DHKS <sup>1</sup>
		GAS - LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	<b>TBA</b>
		GAS - HEAVY LOAD (90-195LBS) WITH BP-51	KIT	2.5-3.5"	1	<b>TBA</b>

<sup>1</sup> DUE TO DIFFERENCES IN OE RIDE HEIGHT, THE KITS ABOVE WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

OLD MAN EMU SUSPENSION SYSTEMS							
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
2018-ON	FRONT	STOCK/LIGHT LOAD (0-90LBS)	SPRING	2.5-3.5"	1	3134 <sup>1,2</sup>	
		NITROCHARGER SPORT	SHOCK		2	60150 <sup>3,4</sup>	
	FRONT	MEDIUM LOAD (90-190LBS)	SPRING	2.5-3.5"	1	3135 <sup>1,2</sup>	
		NITROCHARGER SPORT SHOCK	SHOCK		2	60150 <sup>3,4</sup>	
	REAR	MEDIUM LOAD	SPRING	2.5-2.5"	1	3137 <sup>1,2</sup>	
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 <sup>3,4</sup>	
	REAR	HEAVY CONSTANT (330LBS)	SPRING	2.5-3.5"	1	3138 <sup>1,2</sup>	
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 <sup>3,4</sup>	
	REQ'D FOR INSTALLATION	FRONT LOWER ADJUSTABLE CONTROL ARM	CONTROL ARM			1	LCAJLFR <sup>2</sup>
		BUMP STOP KIT (FRONT AND REAR)	BUMP KIT			1	FK92 <sup>3</sup>
		SWA YBAR LINK KIT	LINK KIT			1	FK93 <sup>4</sup>
	OPTIONAL	FRONT COIL SPRING TRIM PACKER	PACKER			1	OMEJKPF10 <sup>5</sup>
		REAR COIL SPRING TRIM PACKER				1	OMEJLPR10 <sup>5</sup>

<sup>1</sup> DUE TO DIFFERENCES IN OE RIDE HEIGHT, OME COIL SPRINGS WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

<sup>2</sup> FITMENT OF LCAJLFR ADJUSTABLE LOWER CONTROL ARMS IS REQUIRED TO RESTORE PROPER CASTER ALIGNMENT SETTINGS.

<sup>3</sup> FITMENT OF FK92 IS REQUIRED. FK92 BUMPER STOP KIT PREVENTS SHOCKS FROM GOING SOLID AND FITMENT OF LARGER TIRES.

<sup>4</sup> FITMENT OF FK93 IS REQUIRED. FK93 SWAY BAR LINK KIT ALLOWS THE SHOCKS TO EXTEND FREELY WITHOUT LIMIT OR CONTACT.

<sup>5</sup> TRIM PACKERS ARE TO TRIM VEHICLE LEFT TO RIGHT. DO NOT INSTALL MORE THAN ONE PACKER PER COIL SPRING.

### ARB SKID PLATES

YEAR	DESCRIPTION	PART NO.
2018 ON	UNDER VEHICLE SKID PLATE SYSTEM - 3.6 LITER PETROL ONLY	<b>UNDER DEVELOPMENT</b>

### LINX - VEHICLE ACCESSORY INTERFACE

YEAR	DESCRIPTION	PART NO.
2018 ON	LINX VEHICLE ACCESSORY INTERFACE	LX100
	LINX A-PILLAR MOUNT FOR JEEP WRANGLER JL	<b>UNDER DEVELOPMENT</b>
OPTIONAL	LINX PRESSURE CONTROL KIT	7450107
	LINX AIR BAG ISOLATION KIT	7450109

LEARN MORE ABOUT ARB LINX - [HTTPS://WWW.ARBUSA.COM/LINX-ACCESSORY-INTERFACE/](https://www.arbusa.com/linx-accessory-interface/)

