

## LAND CRUISER 200 SERIES

### ARB DELUXE BULL BARS & WINCH BARS

YEAR	MODEL	FEATURES	WINCHES	PART NO.
2016-ON MODELS (USA MODELS)	SUMMIT BAR	SRS APPROVED, LED INDICATORS, URETHANE BUFFERS, RETAINS OE FOG LAMPS, BLACK, HL WASHER COMP.,	M8000 <sup>15</sup> , XD9000 <sup>15</sup> , ZEON 8 <sup>14,15</sup> , 8S <sup>14,15,18</sup> , 10 <sup>14,15</sup> , 10-S <sup>14,15,18</sup> & 12 <sup>14,15</sup>	3415220 <sup>14,15,16,17,20</sup>
2016-ON MODELS (USA MODELS)	SAHARA BAR	SRS APPROVED, LED INDICATORS, URETHANE BUFFERS, RETAINS OE FOG LAMPS, BLACK, HL WASHER COMP., CENTER HOOP <sup>19</sup>	M8000 <sup>15</sup> , XD9000 <sup>15</sup> , ZEON 8 <sup>14,15</sup> , 8S <sup>14,15,18</sup> , 10 <sup>14,15</sup> , 10-S <sup>14,15,18</sup> & 12 <sup>14,15</sup>	3915210 <sup>14,15,16,17,19,20</sup>
2016-ON GX & GXL MODELS (NON USA MODELS)	SUMMIT BAR	SRS APPROVED, RECESSED LED INDICATORS, URETHANE BUFFERS, RECESSED FOG LAMPS <sup>13</sup> , BLACK	M8000 <sup>15</sup> , XD9000 <sup>15</sup> , ZEON 8 <sup>14,15</sup> , 8S <sup>14,15</sup> , 10 <sup>14,15</sup> , 10-S <sup>14,15</sup> & 12 <sup>14,15</sup>	3415200 (NON USA MODELS)
2012-15	WINCH BAR	SRS APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS, RECESSED FOG LAMPS <sup>2,10</sup> , BLACK	8000, 9000, XP9500, XDC9500, 12000 <sup>1</sup>	3415150 <sup>2,8,9,21</sup>
2012-15	SAHARA BAR	SRS APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS, RECESSED FOG LAMPS <sup>2</sup> , OPTIONAL CENTER HOOP	8000, 9000, XP9500, XDC9500, 12000 <sup>1</sup>	3915150 <sup>6,8,11,12,21</sup>
2008-11	SAHARA BAR	SRS APPROVED, RECESSED INDICATORS, URETHANE BUFFERS <sup>4,7</sup> , TOW POINTS, RECESSED FOG LAMPS <sup>2</sup> , OPTIONAL CENTER HOOP <sup>4,7</sup>	8000, 9000, XP9500, XDC9500, 12000 <sup>1</sup>	3915040 <sup>4,5,7</sup>
2008-11	SAHARA BAR	SRS APPROVED, RECESSED INDICATORS, URETHANE BUFFERS <sup>4,7</sup> , TOW POINTS, RECESSED FOG LAMPS <sup>2</sup> , OPTIONAL CENTER HOOP <sup>4</sup>	8000, 9000, XP9500, XDC9500, 12000 <sup>1</sup>	3915050 <sup>4,6,7</sup>
2008-11	WINCH BAR	SRS APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS, RECESSED FOG LAMPS <sup>2</sup> ,BLACK	8000, 9000, XP9500, XDC9500, 12000 <sup>1</sup>	3415120 <sup>6</sup>
2008-11	WINCH BAR	SRS APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS, RECESSED FOG LAMPS <sup>2</sup> , BLACK	8000, 9000, XP9500, XDC9500, 12000 <sup>1</sup>	3415110 <sup>5</sup>

<sup>1</sup> M12000 REQUIRES ADDITIONAL FIT KIT PART NO. 3512050

<sup>2</sup> OPTIONAL FOG LIGHT KIT PART NO. 6821201<sup>3,10</sup>

<sup>3</sup> FOR VEHICLES WITHOUT FACTORY FITTED FOG LIGHTS, 3500440 LOOM REQUIRED

<sup>4</sup> OPTIONAL CENTER CHROME HOOP AVAILABLE. ORDER HOOP PART NO. 5115010 x1 AND BUFFER PART NO. 5100140

<sup>5</sup> BUMPER IS NOT COMPATIBLE WITH HEADLIGHT WASHER SYSTEM WHERE FITTED

<sup>6</sup> BUMPER IS DESIGNED TO WORK WITH FACTORY HEADLIGHT WASHER SYSTEM

<sup>7</sup> IF CHROME HOOP IS NOT FITTED, ADDITIONAL PART NUMBER 5100150 (BUFFER KIT) REQUIRED TO COMPLETE INSTALLATION

<sup>8</sup> CAMERA RELOCATION KIT PART NO. 3515030 REQUIRED FOR VEHICLES EQUIPPED WITH FRONT CAMERA SYSTEM.

<sup>9</sup> FIT KIT CABLE EXTENSION KIT PART NO. 3512050

<sup>10</sup> 2012+ MODELS REQUIRE LOOM PART NUMBER 3500440 WHEN FITTING OPTIONAL 6821201 FOG LAMPS.

<sup>11</sup> OPTIONAL CENTER POLISHED HOOP AVAILABLE. ORDER HOOP PART NO. 5115020 x1 AND BUFFER PART NO. 5100140

<sup>12</sup> IF CHROME HOOP IS NOT FITTED, ADDITIONAL PART NUMBER 5100150 (BUFFER KIT) REQUIRED TO COMPLETE INSTALLATION

<sup>13</sup> OPTIONAL FOG LIGHT KIT PART NO. 3500590 AND LOOM 3500530 REQUIRED TO FIT OPTIONAL ARB FOG LIGHTS

<sup>14</sup> WARN ZEON & ZEON PLATINUM FITMENT REQUIRES WARN PART NO. W89965 SHORT WIRE KIT

<sup>15</sup> OPTIONAL WINCH INSTALL KIT 3500720 REQUIRED WHEN FITTING WINCH

<sup>16</sup> WARN ZEON PLATINUM FITMENT MAY REQUIRE WARN PART NO. W94288 ENHANCED SIGNAL KIT

<sup>17</sup> COMPATIBLE WITH THE FACTORY HEADLIGHT WASHER, RADAR CRUISE CONTROL, PARKING SENSORS AND FORWARD FACING CAMERA SYSTEM.

<sup>18</sup> OPTIONAL HAWSE FAIRLEAD SPACER KIT PART NO. 3500600 REQUIRED WHEN FITTING HAWSE FAIRLEAD.

<sup>19</sup> OPTIONAL CENTER HOOP PART NO. 5100300 AVAILABLE. IF NO HOOP WILL BE INSTALLED, BUFFER KIT PART NO. 5100230 REQ.

<sup>20</sup> CAMERA RELOCATION KIT PART NUMBER 3515090 REQUIRED WHEN FITTING BUMPER TO VEHICLE WITH FRONT CAMERA OR MULTI TERRAIN CAMERA/CAM-

<sup>21</sup> COMPATIBLE WITH RADAR CRUISE CONTROLB - OBSTRUCTION OF SENSOR WILL VARY WITH WINCH SOLENOID BOX SIZE.

### ARB RECOVERY POINT

YEAR	MODEL	DESCRIPTION	PART NO.
2008-ON	LC200	ARB RECOVERY POINT - 17,636LB RATING	2815020 <sup>1,2</sup>

<sup>1</sup> INCLUDES X1 RECOVERY POINT

<sup>2</sup> MOUNTS TO CHASSIS USING FACTORY THREADED HOLES

### ARB UNDER VEHICLE PROTECTION KIT

YEAR	MODEL	DESCRIPTION	PART NO.
2008-ON	LC200	UNDER VEHICLE PROTECTION KIT	5415100



## LAND CRUISER 200 SERIES

ARB REAR BUMPERS, SWING AWAY TIRE CARRIERS AND JERRY CAN HOLDERS			
YEAR	MODEL	DESCRIPTION	PART NO.
2008-15	LC200	DELUXE REAR BAR - BUMPER ONLY. NOT COMPATIBLE WITH TIRE CARRIERS AND JERRY CAN HOLDERS	5615020 <sup>3</sup>
		DELUXE REAR BAR, BLACK - COMPATIBLE WITH OPTIONAL TIRE CARRIERS AND JERRY CAN HOLDERS BELOW	5615010 <sup>1,3,4</sup>
		LHS REAR TIRE CARRIER, BLACK	5700251 <sup>2,4</sup>
		RHS REAR TIRE CARRIER, BLACK	5700252 <sup>2,4</sup>
		LHS JERRY CAN HOLDER, BLACK	5700261 <sup>2,4</sup>
		RHS JERRY CAN HOLDER, BLACK	5700262 <sup>2,4</sup>
		LHS BLANK COVER PANEL, BLACK	5700231 <sup>2</sup>
		RHS BLANK COVER PANEL, BLACK	5700232 <sup>2</sup>
OPTIONAL		HI LIFT MOUNT FOR WHEEL CARRIER ONLY	5700060
		REVERSING LIGHT KIT	5700070

<sup>1</sup> A LEFT OR RIGHT HAND SIDE COVER PANEL MUST BE USED FOR INSTALLATION IF TIRE CARRIER OR JERRY CAN HOLDER IS NOT PURCHASED.  
<sup>2</sup> CUSTOMER CAN USE A COMBINATION OF BLANKS, TIRE CARRIERS, OR JERRY CAN HOLDERS FOR A COMPLETE INSTALLATION.  
 A MINIMUM OF 3 SEPARATE PART NUMBERS WILL BE REQUIRED TO COMPLETE INSTALLATION  
<sup>3</sup> WILL NOT WORK WITH O.E. BACK UP SENSORS  
<sup>4</sup> BACK UP CAMERA VISIBILITY WILL BE IMPAIRED BY INSTALLATION OF TIRE CARRIER AND FUEL CAN HOLDER

ARB SIDE RAILS & STEPS			
YEAR	MODEL	DESCRIPTION	PART NO.
2012-15	LC200	ARB FRONT PROTECTION RAILS	4415060 <sup>1,3,8</sup>
2008-11	LC200	ARB FRONT PROTECTION RAILS	4415050 <sup>1,3,8</sup>
2008-15	LC200	ARB SECTION STEP (SUITABLE FOR ALL MODELS INCL. KDSS)	4415020 <sup>4,8</sup>
2008-15	LC200	ARB STAND ALONE STEP (NO SIDE RAIL REQ'D)	4415020 <sup>3,8</sup>
2016+	LC200	ARB STAND ALONG STEP (NO SIDE RAIL REQ'D)	4415100 <sup>5,8</sup>

<sup>1</sup> FRONT ARB DELUXE BAR REQUIRED FOR FITMENT.  
<sup>2</sup> ATTACHES TO FRONT ARB DELUXE BAR AND FACTORY STEPS.  
<sup>3</sup> PART NO. 4415040 (RETURN) REQUIRED TO COMPLETE INSTALLATION  
<sup>4</sup> PART NO. 4415060 OR 4415050 (FRONT SIDE RAILS) REQUIRED TO COMPLETE INSTALLATION  
<sup>5</sup> ADDITIONAL PART NO. 4415120 REQUIRED TO COMPLETE INSTALLATION  
<sup>6</sup> ADDITIONAL PART NO. 4415110 SIDE RAILS REQUIRED TO COMPLETE INSTALLATION  
<sup>7</sup> FRONT ARB SUMMIT BAR REQUIRED FOR FITMENT.  
<sup>8</sup> SIDE CURTAIN AIR BAG COMPATIBLE

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2008-17	FRONT	TOYOTA 8" IFS, 58MM BEARING	35 (1.38")	34	SEE NOTE <sup>2</sup>	RD151 <sup>1,2</sup>
	REAR	TOYOTA 9.5"	34.8 (1.37")	32	ALL	RD152

<sup>1</sup> CARRIER BEARINGS ARE ONLY AVAILABLE AS OE FROM TOYOTA  
<sup>2</sup> WILL WORK WITH ALL GEAR RATIOS EXCEPT FOR FACTORY 3.31 RATIO.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2016 ON	3UR-FE 5.7L V8 PETROL ENGINE	SS89HPE
2017-15	3UR-FE 5.7L V8 PETROL ENGINE (PRE FACE LIFT)	SS88HPE
2008-15	1VD-FTV 4.5 LITER-V8 INTERCOOLED TWIN TURBO (DIESEL)	SS87HF
2008-11	2UZ-FE 4.7 LITER-V8 DOHC (PETROL)	SS87HF

REFER TO [WWW.SAFARI4X4.COM.AU](http://WWW.SAFARI4X4.COM.AU) FOR DETAILS.

### OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QTY.	PART NO.
2008-16	FRONT	STOCK/LIGHT LOAD - 1" LIFT	SPRING	1"	1	2700 <sup>1,5</sup>
		NITROCHARGER SPORT	STRUT		2	91005
		MEDIUM LOAD (UP TO 220 LBS) 1" LIFT	SPRING	1"	1	2701 <sup>1,5</sup>
		NITROCHARGER SPORT	STRUT		2	91005
		STOCK/LIGHT LOAD - 2" LIFT	SPRING	2"	1	2702 <sup>1,5</sup>
		NITROCHARGER SPORT	STRUT		2	91005
		MEDIUM LOAD (UP TO 220 LBS) 2" LIFT	SPRING	2"	1	2703 <sup>1,5</sup>
		NITROCHARGER SPORT	STRUT		2	91005
	REAR	MEDIUM LOAD - LESS .75" LIFT	SPRING	-0.75"	1	2720 <sup>1,5</sup>
		NITROCHARGER SPORT	SHOCK		2	61029
		MEDIUM LOAD - NO LIFT	SPRING	0"	1	2721 <sup>1,5</sup>
		NITROCHARGER SPORT	SHOCK		2	61029
		MEDIUM LOAD - .75" LIFT	SPRING	.75"	1	2722 <sup>1,4,5</sup>
		NITROCHARGER SPORT	SHOCK		2	61029
		CONSTANT 440 LBS .75" LIFT	SPRING	.75"	1	2723 <sup>1,4,5</sup>
		NITROCHARGER SPORT	SHOCK		2	61030
		CONSTANT 880 LBS .75" LIFT	SPRING	.75"	1	2724 <sup>1,4,5</sup>
		NITROCHARGER SPORT	SHOCK		2	61030
		CONSTANT 1,300 LBS .75" LIFT	SPRING	.75"	1	2725 <sup>1,4,5</sup>
		NITROCHARGER SPORT	SHOCK		2	61030
OPTIONAL COMPONENTS		REAR SHOCK STONE GUARD			1	OME661 <sup>4</sup>
		FRONT COIL SPRING TRIM SPACER				OME95PF5 <sup>2</sup>
		REAR COIL SPRING TRIM SPACER 10MM				OME80PR10
		REAR COIL SPRING TRIM SPACER 5MM				OME80PR05

### OPTIONAL OME BP-51 COILOVER & SHOCK ABSORBERS

MODEL	LOCATION	DESCRIPTION	LIFT	QTY.	PART NO.
2008-16	FRONT	OME BP-51 INTERNAL BYPASS COILOVER - FRONT LEFT SIDE	1.5"-2"	1	BP5190003L <sup>6,9</sup>
		OME BP-51 INTERNAL BYPASS COILOVER - FRONT RIGHT SIDE	1.5"-2"	1	BP5190003R <sup>6,9</sup>
	REAR	OME BP-51 INTERNAL BYPASS SHOCK - REAR		2	BP5160026 <sup>7</sup>
		<b>REAR COIL SPRINGS ARE REQUIRED. PLEASE SEE ABOVE FOR APPLICATION AND PART NUMBERS</b>			
REQUIRED	FRONT	VEHICLE MOUNT KIT - FRONT - REQUIRED FOR BP-51 FITMENT		1	VM80010003 <sup>6</sup>
	REAR	VEHICLE MOUNT KIT - REAR - REQUIRED FOR BP-51 FITMENT		1	VM80010004 <sup>7</sup>
	W/KDSS	REQUIRED VEHICLE FITMENT KIT FOR VEHICLES W/KDSS		1	VM80010005

<sup>1</sup> OME FRONT COILS CAN ONLY BE INSTALLED WITH OME STRUTS. THEY WILL NOT FIT ON THE OE STRUTS DUE TO DIFFERENT WINDING OF THE LOWER COIL END.

<sup>2</sup> TO MAINTAIN RIDE HEIGHT WHEN FRONT ACCESSORY WEIGHT EXCEED 220 LBS, OME95PF5 COIL SPACER SHOULD BE INSTALLED, EACH OME95PF5

<sup>3</sup> WILL INCREASE RIDE HEIGHT BY 10MM.

<sup>4</sup> OME661 LOWER SHOCK STONE GUARDS ARE RECOMMENDED FITMENT FOR PROTECTION AGAINST STONE DAMAGE. SOLD IN PAIRS.

WHERE .75" LIFT REAR COILS ARE SELECTED THEY MUST BE MATCHED TO 2" LIFT FRONT SPRINGS.

<sup>5</sup> KDSS (KINETIC DYNAMIC STABILITY SYSTEM) COMPATIBLE. CONTACT OUR TECH DEPARTMENT AT (425) 264-1391 FOR SPECIAL INSTRUCTIONS.

<sup>6</sup> VEHICLE MOUNT KIT PART NO. **VM80010003** REQUIRED WHEN FITTING OME BP-51 PART NO. **BP5190003L & BP5190003R**

<sup>7</sup> VEHICLE MOUNT KIT PART NO. **VM80010004** REQUIRED WHEN FITTING OME BP-51 PART NO. **BP5160026**

<sup>8</sup> VEHICLE MOUNT KIT PART NO. **VM80010005** REQUIRED WHEN FITTING OME BP-51 COILOVERS & SHOCKS TO VEHICLES WITH **KDSS**

<sup>9</sup> OME BP-51 PART NO. **BP5190003L & BP5190003R** COME PRELOADED WITH OME COIL SPRINGS.

FITMENT NOTES: THE OME SPRINGS RANGE HAS BEEN DEVELOPED TO GIVE OWNERS THE ABILITY TO REDUCE THE VERY PRONOUNCED 3" OF REAR TO FRONT RAKE OF THE ORIGINAL TOYOTA SUSPENSION. BY CAREFULLY MATCHING THE OME FRONT AND REAR SPRINGS THE RAKE CAN BE REDUCED TO BE BETWEEN .75" AND 2".

## LAND CRUISER 200 SERIES

ARB ROOF RACKS		
YEAR	DESCRIPTION	PART NO.
2008-16	87" X 44" STEEL RACK WITH MESH FLOOR	3800040M*
	87" X 44" STEEL RACK WITHOUT MESH FLOOR	3800040*
	87" X 44" ALLOY RACK WITH MESH FLOOR	4900040M*
	87" X 44" ALLOY FLAT RACK	4900070M*
	87" X 44" STEEL FLAT RACK	3800230*
	87" X 49" TOURING RACK TO SUIT ARB ROOFTOP TENT	3800200*
REQUIRED	FIT KIT FOR 87" X 44" & TOURING RACK (ALLOY & STEEL)	3715010*
2008-16	73" X 44" STEEL RACK WITH MESH FLOOR	3800050M*
	73" X 44" STEEL RACK WITHOUT MESH FLOOR	3800050*
	73" X 44" STEEL FLAT RACK	3800190*
REQUIRED	FITTING KIT FOR 73" LONG RACK	3715020*
	44" X 44" STEEL RACK WITH MESH FLOOR	3800060M*
	44" X 44" STEEL RACK WITHOUT MESH FLOOR	3800060*
	REQUIRED	FITTING KIT FOR 44" LONG RACK

\* NOTICE: CONTACT ARB USA TECH SUPPORT BEFORE ORDERING RACK (425) 264-1391, SPECIAL INSTRUCTIONS WILL MAKE THIS INSTALLATION MUCH EASIER.

OUTBACK SOLUTIONS ROLLER DRAWERS SYSTEMS					
MODEL	CONFIGURATION	DESCRIPTION	REQ.	PART NO.	
LC200	TWO ROLLER DRAWERS	ROLLER DRAWERS	2	RD1045	
		SIDE FLOOR KIT	1	200FK	
	TWO ROLLER DRAWERS W/ROLLER FLOOR	ROLLER DRAWERS W/FLOORS	2	RDRF1045	
		SIDE FLOOR KIT	1	200FK	
	ONE ROLLER DRAWER, ONE ROLLER DRAWER W/ROLLER FLOOR	ROLLER DRAWER	1	RD1045	
		ROLLER DRAWER W/ ROLLER FLOOR	1	RDRF1045	
		SIDE FLOOR KIT	1	200FK	
	ONE ROLLER DRAWER, ONE ROLLER FLOOR	ROLLER DRAWER	1	RD1045	
		ROLLER FLOOR	1	RF1045	
		SIDE FLOOR KIT	1	200FK	
	ONE ROLLER DRAWER W/ROLLER FLOOR, ONE ROLLER FLOOR	ROLLER DRAWER W/ ROLLER FLOOR	1	RDRF1045	
		ROLLER FLOOR	1	RF1045	
		SIDE FLOOR KIT	1	200FK	
	TWO ROLLER FLOORS	ROLLER FLOOR	2	RF1045	
		SIDE FLOOR KIT	1	200FK	

NOTE: STACKING OPTIONS AVAILABLE. PLEASE CONTACT ARB FOR DETAILS.